

CORRES. CONTROL
INCOMING LTR NO.

00254RF04

DUE DATE

ACTION

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CARPENTER, M.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.	X	
NORTH, K.	X	
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.	X	
PIZZUTO, V.M.		
TOBIN, M.	X	
TUOR, N. R.	X	
WIEMELT, K.	X	
WILLIAMS, J. L.		
ZAHM, C.	X	

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP

6/14/04
Date By

Ref. Ltr. #

DOE ORDER #

5400.1

RECEIVED

2004 JUN 14 P 3:01

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive DirectorCORRESPONDENCE
CONTROL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, ColoradoLaboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090<http://www.cdphs.state.co.us>Colorado Department
of Public Health
and Environment

June 8, 2004

Mr. Joe Legare

Acting Assistant Manager for Environment and Stewardship
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: D&D Closeout Report for Building 441 - Approval

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed your letter and the Closeout Report for Building 441, dated June 7, 2004. Building 441 was previously determined to be a Type 2 Facility. As such, and based on the information provided, we are hereby approving this D&D Closeout Report for Building 441.


If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: Gary Morgan, DOE
Mark Aguilar, EPA
Steve Nesta, KH
Administrative Records Building T130G

Karen Wiemelt, KH
Dave Shelton, KH
David Abelson, RFCLOG



ADMIN RECORD

IA-A-002167